

CHELAL[®] RD

**EC FERTILISER: Mixture of micro-nutrients
(boron(B), copper(Cu), iron(Fe), manganese(Mn), zinc(Zn))**

Declared content:

Micro-nutrients expressed as percentage by weight:

Water-soluble boron (B): 2,0 % in a complexed form

Water-soluble copper (Cu): 0,5 % chelated by EDTA

Water-soluble iron (Fe): 3,3 % chelated by DTPA

Water-soluble manganese (Mn): 4,0 % chelated by EDTA

Water-soluble zinc (Zn): 5,1 % chelated by EDTA

pH range guaranteeing acceptable stability of the chelated fractions: between pH=4 and pH=10

Product low in chloride.

To be used only where there is a recognised need. Do not exceed the appropriate dose rates.

Recommendations Do not exceed the maximum concentration of 0,3 % (= 0,3 kg CHELAL[®] RD in 100 L water). For foliar applications avoid high temperatures and bright sunshine. Treat preferably during early morning or late evening.

Applications Consult our crop-related programs.

Characteristics CHELAL[®] RD was developed to prevent Fe-, Mn- and Zn-deficiencies in crops with high demands for one of these three elements (e.g. apple, pear, peach, apricot, cherry, grape, citrus, soy, corn and trees). The special formula of CHELAL[®] RD guarantees optimum foliar absorption of the elements present, thus preventing related growth-interruptions.

Cautions

- wash hands thoroughly after handling; do not drink, eat or smoke during handling.
- if swallowed, seek medical assistance.
- in case of contact with eyes, rinse with plenty of clean water.
- store in a cool, dry place, out of reach of children and animals. Always keep the product in its original container.
- store the product at a temperature between 40°F and 90°F (= 5°C - 30°C).
- this product can be used on most crops as long as maximum dose and concentration are respected. Since it contains boron, injudicious use on monocots (e.g. cereals, orchids, lilies,...) and greenhouse ornamentals may result in serious injury to the crops.

Miscibility CHELAL[®] RD is miscible with most pesticides and herbicides. Avoid mixing with oil based products and phenoxyacetates. It is advisable to conduct a miscibility test before application. Consult your extension agent or crop consultant.

Preparation of the solution Load the sprayer tank $\frac{3}{4}$ full with water. Pour the product slowly into the tank while stirring. Finally, fill the tank completely. Continue stirring until the solution is applied.

Warranty The liability of the manufacturer is limited to delivery of the product in its original container in conformity with the guaranteed analysis, as indicated on this label. The manufacturer is not responsible for inappropriate or inaccurate use of the product nor for damage caused by weather conditions, soil characteristics or special sensitivity of crops and varieties. In no case shall BMS Micro-Nutrients be liable for consequential, special or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the buyer and/or user of the product. BMS Micro-Nutrients makes no warranties of merchantability of fitness for a particular purpose nor any other express or implied warranty except as stated above.

Produced by

BMS Micro-Nutrients N.V.
Rijksweg 32 - 2880 Bornem - Belgium
Tel.: + (32)(0)3/899.10.10
Fax: + (32)(0)3/899.40.45
E-mail: info@chelal.com

Authorized in organic production in accordance with EC-regulation n° 2092/91